

Notice of Allowability

Application No.

09/675,909

Applicant(s)

GETTEMY ET AL.

Examiner

Alicia M Harrington

Art Unit

2873

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 8/730.
2. ☒ The allowed claim(s) is/are 15, 16 and 19-24.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____
5. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
 - (a) ☐ The translation of the foreign language provisional application has been received.
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**


7. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
8. ☒ CORRECTED DRAWINGS must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No. _____
 - (b) ☒ including changes required by the proposed drawing correction filed 8/7/03, which has been approved by the Examiner.
 - (c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.

9. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1 <input type="checkbox"/> Notice of References Cited (PTO-892) | 2 <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3 <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 4 <input checked="" type="checkbox"/> Interview Summary (PTO-413), Paper No. <u>1003</u> |
| 5 <input type="checkbox"/> Information Disclosure Statements (PTO-1449), Paper No. _____ | 6 <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 7 <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material | 8 <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9 <input type="checkbox"/> Other |


Georgia Epps
Supervisory Patent Examiner
Technology Center 2800

DETAILED ACTION

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
2. Authorization for this examiner's amendment was given in a telephone interview with Mr. John Ryan on 10/30/03.
3. The application has been amended as follows:

In the claims: claim 19, line1, delete --18 ---and insert --15--.

In the abstract: see-attached sheet.
4. The following is an examiner's statement of reasons for allowance: Regarding claim 15, prior art taken either singularly or in combination fails to anticipate or fairly suggest the limitations of the dependent claims, in such manner that a rejection under 35 U.S.C 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims, which include two different types of light emitted including a visible light and sensory light for emitting a portion of the light from the light pipe at different locations as claimed.

Regarding claim 21, prior art taken either singularly or in combination fails to anticipate or fairly suggest the limitations of the dependent claims, in such manner that a rejection under 35 U.S.C 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims, which include a hand held display illumination with a gathering lens for collecting sensory light waves and a light detector as claimed.

Art Unit: 2873

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alicia M Harrington whose telephone number is 703 308 9295. The examiner can normally be reached on Monday - Thursday 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on 703 308 4883. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 308 0956.


Alicia M Harrington
Examiner
Art Unit 2873



AMH

Abstract:

The present invention system and method facilitates efficient and relatively even distribution of illumination throughout a display screen. The system and method also facilitates clearer presentation of images, size reductions and conservation of limited power resources in handheld computers. In one embodiment of the present invention, a display illumination distribution system includes a light pipe, a lens, a wave-guide array and a light source. The light source provides light waves that are directed along the wave guide array to the lens which directs the light waves into the light pipe. The light pipe conveys the light to the display and provides illumination. The routing of light through the wave-guide array confines the light waves to a wave guide and reduces the number of light waves that miss the light pipe.



Georgia Epps
Supervisory Patent Examiner
Technology Center 2800